


# PROVIDENCE IMAGING CENTER

## Guide for Ordering Ultrasound Exams



Body Part	Reason for Exam	Coverage	Prep?	Comments	Procedure Name/Epic IMG Code	CPT
<b>ABDOMEN</b>	Abdominal, flank, back, RUQ pain Abdominal trauma, nausea, vomiting, Abnormal LFTs, jaundice, possible abdominal mass or organomegaly, metastatic disease, suspect congenital abnormalities	Liver, biliary system, GB kidneys, pancreas, spleen aorta, IVC	YES NPO 8 hours	No smoking or gum chewing prior to exam.	US ABDOMEN COMPLETE IMG 524	76700
Single organ, follow up r/o hernia, superficial palpable lump pyloric stenosis	Single organ of interest, single quadrant of interest, follow up to prior exam	YES NPO 8 hours	Indicate which organ or quadrant, or location of superficial palpable lump. No smoking or gum chewing prior to exam.	US ABDOMEN LIMITED IMG 2416	76705	
Pulsatile Abdominal mass, F/U known AAA, r/o AAA on a non Medicare patient, Family Hx of AAA, Known Popliteal Artery	Aorta	YES NPO 8 hours	No smoking or gum chewing prior to exam.	VAS AORTA IMG 2164	76770	
One time Medicare aorta screening Leg pain (at rest or claudication) Follow up, Hx grafts, suspect stenosis	Aorta	YES NPO 8 hours	No smoking or gum chewing prior to exam.	AAA MEDICARE SCREENING IMG 775	G0389	
Abn. Creatinin, flank pain, hematuria, suspicion of kidney stones/pelvonephritis, hydronephrosis, bladder mass	Aorta, IVC, Iliac vessels, bypass grafts	YES NPO 8 hours	No smoking or gum chewing prior to exam.	VAS AORTA ILIAC DUPLEX IMG 2163	93978	
Chronic Kidney disease (CKD), Abnormal BUN HTN, Abdominal bruit	Kidneys, bladder, ureters	YES 24 oz. of water Finish 1/2 hour prior to appt.	Finish drinking water 1/2 hour prior to appt. time. <b>Do not empty bladder.</b>	US RENAL IMG 1080	76770	
Evaluate for rejection, abnormal labs	renal arteries, renal vein kidneys	YES NPO 8 hours	No smoking or gum chewing prior to exam.	VAS RENAL ARTERY DUPLEX IMG 1218	93975	
Portal HTN, abdominal varices, cirrhosis	transplant kidney, artery, vein and native kidneys	NO		US RENAL TRANSPLANT IMG 2217	76776	
Portal veins, hepatic veins, hepatic artery	Portal veins, hepatic veins, hepatic artery	YES NPO 8 hours	No smoking or gum chewing prior to exam.	VAS ABDOMEN DUPLEX IMG 129	93975	
Portal HTN, abdominal varices, cirrhosis	Portal veins, hepatic veins, hepatic artery	YES NPO 8 hours	No smoking or gum chewing prior to exam.	VAS PORTO HEPATIC DUPLEX IMG 2209	93975	
Abdomen pain post prandial (after eating), Abdominal bruit	Celiac, hepatic, splenic, mesenteric arteries	YES NPO 8 hours	Patient drinks Ensure during exam.	VAS MESENTERIC ARTERIAL DUPLEX IMG 2390	93975	
Evaluate for stenosis of shunt	shunt, IVC, Portal vein	YES NPO 8 hours	No smoking or gum chewing prior to exam.	VAS TIPS IMG 2222	93975	
<b>PELVIS</b>	Pelvic pain, abnormal bleeding, follow up mass seen on prior imaging, evaluation of ovarian cysts/mass, uterine fibroids, adnexal mass, endometrial abnormality, infertility IUD check, suspect ectopic pregnancy	uterus, ovaries, adnexal spaces	YES 32 oz. of water Finish 1 hour prior to appt.	Complete transabdominal and transvaginal performed. Finish drinking water 1 hour prior to appt.; <b>Do not empty bladder.</b>	US PELVIS WITH TRANSVAGINAL IMG 2207	76856 76830
Pelvic pain, follow up mass seen on prior imaging, evaluation of ovarian cysts, or adnexal mass. Pre and post void bladder	Uterus, ovaries	YES 32 oz. of water Finish 1 hour prior to appt.	Transabdominal only. For men or pediatric patients or who decline the transvaginal. Limited evaluation of endometrium. Finish drinking water 1 hour prior to appt. <b>Do not empty bladder.</b>	US PELVIS TRANSABDOMINAL ONLY IMG 2206	76856	
Abnormal bleeding	Uterus, ovaries, adnexal spaces	NO	Limited evaluation of the female pelvis. Intended for emergency use.	US NON OB TRANSVAGINAL IMG 547	76830	
Abnormal bleeding, infertility, abnormal prior imaging of endometrium Hx of miscarriages, congenital abnormalities	Endometrium	NO	Pelvis w Transvaginal sono required within 3 mos. prior. Exam performed between day 7-10 of menses.	US HYSTEROSONOGRAF IMG 2187	76831 58340	
<b>SCROTUM/TESTICLES</b>	Palpable mass, pain, swelling, redness, symptoms of torsion, abscess, undescended testes, infertility	Scrotum, testicles, epididymi	NO	US SCROTUM AND TESTICLES IMG 551	76870	

# PROVIDENCE IMAGING CENTER

## Guide for Ordering Ultrasound Exams


**Reason for Exam**
**Coverage**
**Comments**
**Procedure Name/Epic/IMG Code**
**CPT**

Body Part	Reason for Exam	Coverage	Prep?	Comments	Procedure Name/Epic/IMG Code	CPT
EXTREMITY	Lump, subcutaneous cyst, abscess, Baker's cyst, suspicion of foreign body	Targeted check of specific palpable lump of any extremity	NO	Must indicate specific body part and diagnosis in comments to trigger correct protocol.	US EXTREMITY NON VASCULAR LIMITED RIGHT IMG 2462 IMG 2461	76882
	Suspicion of DVT, redness, pain, swelling, positive Homan's sign, positive D-dimer, extremity circumference discrepancy follow up to a known DVT known PE (pulmonary embolism)	Deep and superficial veins.	NO		VAS LOWER EXTREMITY VENOUS BILATERAL IMG 1212	76882
	measure the upper extremity veins for dialysis fistula placement	subclavian, axillary, cephalic, brachial and basilic veins	NO		VAS LOWER EXTREMITY VENOUS RIGHT IMG 1215	93971
	Diminished or absent pulse in lower extremity, non healing ulcers, arterial disease	Resting arterial perfusion of the lower extremities.	NO	ABI is performed at rest and not exercised. Also called: Non-invasive arterial testing	VAS LOWER EXTREMITY VENOUS LEFT IMG 1213	93971
	Diminished or absent pulse in lower extremity, non healing ulcers, arterial disease		NO	This exam is performed only if resting ABI is abnormal. Also called: Non-invasive arterial testing	VAS UPPER EXTREMITY VENOUS LEFT IMG 2231	93971
	Diminished or absent pulse, arm pain Suspect arterial disease		NO	Also called: Non-invasive arterial testing	VAS UPPER EXTREMITY VENOUS RIGHT IMG 2235	93971
	White fingers or toes in cold weather.	Fingers or toes.	NO	Digits are immersed in ice cold water for several minutes	VAS UPPER EXTREMITY VENOUS LEFT IMG 2231	93971
	Numbness, tingling, or pain in upper extremity	Subclavian artery	NO		VAS SEGMENTAL PRESSURES ARMS IMG 2216	93971
	check patency of graft/fistula, thrill, swelling	Graft/Fistula	NO	Evaluate graft/fistula used for dialysis	VAS THORACIC OUTLET IMG 2220	93971
	Pain, diabetes, diminished or absent pulse Suspect arterial disease	Subclavian, axillary, and brachial arteries	NO		US HEMODIALYSIS GRAFT/FIST DUPLEX IMG 2386	93990
	Rest pain, claudication, non-healing ulcers, diabetes, suspect arterial disease		NO		VAS UPPER EXTREMITY ARTERIES BILATERAL IMG 1209	93930
					VAS UPPER EXTREMITY ARTERIES RIGHT IGM 1210	93931
					VAS UPPER EXTREMITY ARTERIES LEFT IMG 1661	93931
					VAS LOWER EXTREMITY ARTERIES BILATERAL IMG 1206	93925
					VAS LOWER EXTREMITY ARTERIES RIGHT IMG 1208	93926
					VAS LOWER EXTREMITY ARTERIES LEFT IMG 1657	93926



## Guide for Ordering Ultrasound Exams

Body Part	Reason for Exam	Coverage	Prep?	Comments		Procedure Name/Epic IMG Code	CPT
				NO	YES		
NECK	Palpable mass, swelling of the neck, goiter, abnormal labs, abnormality seen on other imaging study. Follow up	Thyroid and surrounding soft tissue.	NO			US THYROID IMG 1070	76336
	Palpable mass, swelling of the neck. Follow up, abnormal labs, abnormality seen of other imaging study	Parotid gland, palpable mass.	NO			US HEAD NECK SOFT TISSUE IMG 520	76336
OB	Evaluate for stenosis, Bruit, Hx of stroke CAD, HTN, smoker, pulsatile neck mass, trauma, dizziness, amaurosis fugax, follow up, TIA	Carotid, subclavian and vertebral arteries.	NO			VAS Carotid Bilateral IMG 1202	93880
	Evaluation of first trimester pregnancy, Dating, bleeding	Uterus, fetus, gestational sac, ovaries, adnexal spaces	YES	Finish drinking water 1 hour prior to apt.; <b>Do not empty bladder.</b>	US OB <14 WEEKS W TRANSVAGINAL IMG 2495	76817	
	Evaluation of second trimester pregnancy, dates, fetal anatomy survey, size, placenta, fluid, and cervix. Routine Survey.	Uterus, cervix, fetus, adnexal spaces.	YES	Complete OB scan for anatomy, size, and dates. Routine survey is performed at 20 weeks. Finish drinking water 1 hour prior to apt. <b>Do not empty bladder.</b>	US OB >14 WEEKS SINGLE OF FIRST GESTATION IMG 532	76805	
	1 or 2 specific concerns such as: Fetal size/age or AFI or Targeted anatomy or bleeding or IUGR or SROM	Very specific area of concern.	YES	Finish drinking 1 hour prior to apt. Enter specific indications in comments section. Only 1 or 2 specific concerns.	US OB LIMITED IMG 536	76815	
	1 or 2 specific concerns for a patient who had a survey. Typically performed following a survey to evaluate anatomy not previously seen due to fetal position or early gestational age.	Limited to the portions of a complete survey that could not be seen previously.	NO	Enter specific indications in comments section. Prior images and reports must be present at time of scan. If not available entire survey may be repeated.	US OB TRANSDOMINAL FOLLOW UP IMG 537	76816	
	Checks fetal well being.	Fetal tone, fetal movement, amniotic fluid and fetal breathing	NO		US FETAL BIOPHYS PROF WO NONSTRESS TEST IMG 540	76819	
	Evaluation of first trimester pregnancy, dating, bleeding	Uterus, fetus, gestational sac, ovaries, adnexal spaces	NO	Intended for use with OB <14 weeks.	US OB TRANSVAGINAL IMG 538	76817	
INFANT	Evaluate for hip dysplasia (DDH), breech, hip clicks, foot abnormality, Monitoring of treatment, Family Hx DDH Dimple, uneven buttocks, palpable lump, R/O tethered cord	Infant hips	NO	Performed on infants 2wks - 6mos. Old	US INFANT HIPS W MANIPULATION IMG 553	76885	
	Increased head circumference, follow up to previous imaging ventricular dilation, congenital abnormalities, determine presence or absence of hemorrhage	Infant brain	NO	Must have open fontanel to perform exam.	US SPINAL CANAL INFANT IMG 1085	76800	
	VASCULAR SCREENING screening for arterial disease	aorta, carotids, and ABI	NO	Self Pay. Call PIC for price.	VAS VASCULAR SCREENING IMG 2226	Self Pay	
CHEST	Palpable lump on chest or upper back pleural effusion	area of concern	NO	Indicate specific location of lump. <b>Not Breast</b>	US CHEST IMG 2175	76604	
BREAST/AXILLA	Palpable lump, abnormal prior imaging	Lymph nodes & axilla area	NO		US AXILLA BIILATERAL IMG 2316	76882	
	Palpable lump, abnormal prior imaging, focal pain, ? Abscess		NO	US performed first if lactating, pregnant or 29 yrs or younger. Mamm if needed. Indicate specific location of lump or area of concern. If lactating, express milk just prior to exam.	US AXILLA RIGHT IMG 2280	76882	
					US AXILLA LEFT IMG 2281	76882	
					US BREAST BIILATERAL IMG 1073	76645	
					US BREAST RIGHT IMG 523	76645	
					US BREAST LEFT IMG 522	76645	

