



Goals of Emotion Regulation

UNDERSTAND AND NAME YOUR OWN EMOTIONS

- ☐ Identify (observe and describe) your emotions.
- ☐ Know what emotions do for you.
- ☐ Other: _____

DECREASE THE FREQUENCY OF UNWANTED EMOTIONS

- ☐ Stop unwanted emotions from starting in the first place.
- ☐ Change unwanted emotions once they start.
- ☐ Other: _____

DECREASE EMOTIONAL VULNERABILITY

- ☐ Decrease vulnerability to emotion mind.
- ☐ Increase resilience, your ability to cope with difficult things and positive emotions.
- ☐ Other: _____

DECREASE EMOTIONAL SUFFERING

- ☐ Reduce suffering when painful emotions overcome you.
- ☐ Manage extreme emotions so that you don't make things worse.
- ☐ Other: _____

*Handouts for Understanding
and Naming Emotions*

1. The first part of the paper is devoted to the study of the properties of the function $f(x)$ defined by the equation

$$f(x) = \frac{1}{2} \left(f\left(\frac{x}{2}\right) + f\left(\frac{x+1}{2}\right) \right).$$

It is shown that this function is continuous and satisfies the functional equation $f(x) = \frac{1}{2} (f(x/2) + f((x+1)/2))$ for all x in the interval $[0, 1]$.

2. In the second part, we consider the function $g(x)$ defined by the equation

$$g(x) = \frac{1}{3} \left(g\left(\frac{x}{3}\right) + g\left(\frac{x+1}{3}\right) + g\left(\frac{x+2}{3}\right) \right).$$

It is shown that this function is continuous and satisfies the functional equation $g(x) = \frac{1}{3} (g(x/3) + g((x+1)/3) + g((x+2)/3))$ for all x in the interval $[0, 1]$.

Overview:
Understanding and Naming Emotions

WHAT EMOTIONS DO FOR YOU

There are reasons why we have emotions.

We need them!

**FACTORS THAT MAKE
REGULATING EMOTIONS HARD**

Lack of skills, reinforcing consequences, moodiness, rumination/
worrying, myths about emotions, and biology can interfere
with changing emotions.

A MODEL FOR DESCRIBING EMOTIONS

Emotions are complex responses.

Changing any part of the system can change the entire response.

WAYS TO DESCRIBE EMOTIONS

Learning to observe, describe, and name your emotion
can help you regulate your emotions.

What Emotions Do for You

EMOTIONS MOTIVATE (AND ORGANIZE) US FOR ACTION

- Emotions motivate our behavior. Emotions prepare us for action.
The action urge of specific emotions is often “hard-wired” in biology.
- Emotions save time in getting us to act in important situations.
Emotions can be especially important when we don’t have time to think things through.
- Strong emotions help us overcome obstacles—in our minds and in the environment.

EMOTIONS COMMUNICATE TO (AND INFLUENCE) OTHERS

- Facial expressions are hard-wired aspects of emotions.
Facial expressions communicate faster than words.
- Our body language and voice tone can also be hard-wired.
Like it or not, they also communicate our emotions to others.
- When it is important to communicate to others, or send them a message,
it can be very hard to change our emotions.
- Whether we intend it or not, our communication of emotions influences others.

EMOTIONS COMMUNICATE TO OURSELVES

- Emotional reactions can give us important information about a situation.
Emotions can be signals or alarms that something is happening.
- Gut feelings can be like intuition—a response to something important about the situation.
This can be helpful if our emotions get us to check out the facts.
- **Caution:** Sometimes we treat emotions as if they are facts about the world: The stronger the emotion, the stronger our belief that the emotion is based on fact. (Examples: “If I feel unsure, I am incompetent,” “If I get lonely when left alone, I shouldn’t be left alone,” “If I feel confident about something, it is right,” “If I’m afraid, there must be danger,” “I love him, so he must be OK.”)
- If we assume that our emotions represent facts about the world, we may use them to justify our thoughts or our actions. This can be trouble if our emotions get us to ignore the facts.

What Makes It Hard to Regulate Your Emotions

BIOLOGY

- ☐ Biological factors can make emotion regulation harder.

LACK OF SKILL

- ☐ You don't know what to do to regulate your emotions.

REINFORCEMENT OF EMOTIONAL BEHAVIOR

- ☐ Your environment reinforces you when you are highly emotional.

MOODINESS

- ☐ Your current mood controls what you do instead of your Wise Mind.
- ☐ You don't really want to put in time and effort to regulate your emotions.

EMOTIONAL OVERLOAD

- ☐ High emotional arousal causes you to reach a skills breakdown point.
You can't follow skills instructions or figure out what to do.

EMOTION MYTHS

- ☐ Myths (e.g., mistaken beliefs) about emotions get in the way of your ability to regulate emotions.
 - ☐ Myths that emotions are bad or weak lead to avoiding emotions.
 - ☐ Myths that extreme emotions are necessary or are part of who you are keep you from trying to regulate your emotions.


Myths about Emotions

1. There is a right way to feel in every situation.
Challenge: _____
2. Letting others know that I am feeling bad is a weakness.
Challenge: _____
3. Negative feelings are bad and destructive.
Challenge: _____
4. Being emotional means being out of control.
Challenge: _____
5. Some emotions are stupid.
Challenge: _____
6. All painful emotions are a result of a bad attitude.
Challenge: _____
7. If others don't approve of my feelings, I obviously shouldn't feel the way I do.
Challenge: _____
8. Other people are the best judges of how I am feeling.
Challenge: _____
9. Painful emotions are not important and should be ignored.
Challenge: _____
10. Extreme emotions get you a lot further than trying to regulate your emotions.
Challenge: _____
11. Creativity requires intense, often out-of-control emotions.
Challenge: _____
12. Drama is cool.
Challenge: _____
13. It is inauthentic to try to change my emotions.
Challenge: _____
14. Emotional truth is what counts, not factual truth.
Challenge: _____
15. People should do whatever they feel like doing.
Challenge: _____
16. Acting on your emotions is the mark of a truly free individual.
Challenge: _____
17. My emotions are who I am.
Challenge: _____
18. My emotions are why people love me.
Challenge: _____
19. Emotions can just happen for no reason.
Challenge: _____
20. Emotions should always be trusted.
Challenge: _____
21. Other myth: _____
Challenge: _____

From *DBT Skills Training Handouts and Worksheets, Second Edition* by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of this book for personal use only (see copyright page for details).



Model for Describing Emotions





Ways to Describe Emotions

ANGER WORDS

anger	bitterness	fury	indignation	vengefulness
aggravation	exasperation	grouchiness	irritation	wrath
agitation	ferocity	grumpiness	outrage	
annoyance	frustration	hostility	rage	

Prompting Events for Feeling Anger

- Having an important goal blocked.
- You or someone you care about being attacked or threatened by others.
- Losing power, status, or respect.
- Not having things turn out as expected.
- Physical or emotional pain.
- Other: _____

Interpretations of Events That Prompt Feelings of Anger

- Believing that you have been treated unfairly.
- Blaming.
- Believing that important goals are being blocked or stopped.
- Believing that things "should" be different than they are.
- Rigidly thinking, "I'm right."
- Judging that the situation is illegitimate or wrong.
- Ruminating about the event that set off the anger in the first place.
- Other: _____

Biological Changes and Experiences of Anger

- Muscles tightening.
- Teeth clamping together.
- Hands clenching.
- Feeling your face flush or get hot.
- Feeling like you are going to explode.
- Being unable to stop tears.
- Wanting to hit someone, bang the wall, throw something, blow up.
- Wanting to hurt someone.
- Other: _____

Expressions and Actions of Anger

- Physically or verbally attacking.
- Making aggressive or threatening gestures.
- Pounding, throwing things, breaking things.
- Walking heavily, stomping, slamming doors.
- Walking out.
- Using a loud, quarrelsome, or sarcastic voice.
- Using obscenities or swearing.
- Criticizing or complaining.
- Clenching your hands or fists.
- Frowning, not smiling, mean expression.
- Brooding or withdrawing from others.
- Crying.
- Grinning.
- A red or flushed face.
- Other: _____

Aftereffects of Anger

- Narrowing of attention.
- Attending only to the situation that's making you angry.
- Ruminating about the situation making you angry or about situations in the past.
- Imagining future situations that will make you angry.
- Depersonalization, dissociative experiences, numbness.
- Other: _____

(continued on next page)

Note. Adapted from Table 3 in Shaver, P., Schwartz, J., Kirson, D., & O'Connor, C. (1987). Emotion knowledge: Further exploration of a prototype approach. *Journal of Personality and Social Psychology*, 52(6), 1061–1086. Copyright 1987 by the American Psychological Association. Adapted by permission.

From *DBT Skills Training Handouts and Worksheets, Second Edition* by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of this book for personal use only (see copyright page for details).

EMOTION REGULATION HANDOUT 6 (p. 2 of 10)

DISGUST WORDS

disgust	aversion	dislike	distaste	repugnance	resentment	sickened
abhorrence	condescension	derision	hate	repelled	revolted	spite
antipathy	contempt	disdain	loathing	repulsion	scorn	vile

Prompting Events for Feeling Disgust

- Seeing/smelling human or animal waste products.
- Having a person or an animal that is dirty, slimy, or unclean come close to you.
- Tasting something or being forced to swallow something you really don't want.
- Seeing or being near a dead body.
- Touching items worn or owned by a stranger, dead person, or disliked person.
- Observing or hearing about a person who grovels or who strips another person of dignity.
- Seeing blood; getting blood drawn.
- Observing or hearing about a person acting with extreme hypocrisy/fawning.
- Observing or hearing about betrayal, child abuse, racism, or other types of cruelty.
- Being forced to watch something that deeply violates your own Wise Mind values.
- Being confronted with someone who is deeply violating your own Wise Mind values.
- Being forced to engage in or watch unwanted sexual contact.
- Other: _____

Interpretations of Events That Prompt Feelings of Disgust

- Believing that:
 - You are swallowing something toxic.
 - Your skin or your mind is being contaminated.
 - Your own body or body parts are ugly.
 - Others are evil or the "scum" of the earth, or that they disrespect authority or the group.
- Disapproving of/feeling morally superior to another.
- Extreme disapproval of yourself or your own feelings, thoughts, or behaviors.
- Judging that a person is deeply immoral or has sinned or violated the natural order of things.
- Judging someone's body as extremely ugly.
- Other: _____

Biological Changes and Experiences of Disgust

- Feelings of nausea; sick feeling.
- Urge to vomit, vomiting, gagging, choking.
- Having a lump in your throat.
- Aversion to drinking or eating.
- Intense urge to destroy or get rid of something.
- Urge to take a shower.
- Urge to run away or push away.
- Feeling contaminated, dirty, unclean.
- Feeling mentally polluted.
- Fainting.
- Other: _____

Expressions and Actions of Disgust

- Vomiting, spitting out.
- Closing your eyes, looking away.
- Washing, scrubbing, taking a bath.
- Changing your clothes; cleaning spaces.
- Avoiding eating or drinking.
- Pushing or kicking away; running away.
- Treating with disdain or disrespect.
- Stepping over; crowding another person out.
- Physically attacking causes of your disgust.
- Using obscenities or cursing.
- Clenching your hands or fists.
- Frowning, or not smiling.
- Mean or unpleasant facial expression.
- Speaking with a sarcastic voice tone.
- Nose and top lip tightened up; smirking.
- Other: _____

Aftereffects of Disgust

- Narrowing of attention.
- Ruminating about the situation that's making you feel disgusted.
- Becoming hypersensitive to dirt.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 3 of 10)

ENVY WORDS

envy	craving	displeased	greed	pettiness
bitterness	discontented	dissatisfied	"green-eyed"	resentment
covetous	disgruntled	down-hearted	longing	wishful

Prompting Events for Feeling Envy

- Someone has something you really want or need but don't or can't have.
- You are not part of the "in" crowd.
- Someone appears to have everything.
- You are alone while others are having fun.
- Someone else gets credit for what you've done.
- Someone gets positive recognition for something and you don't.
- Others get something you really want and you don't get it.
- Being around people who have more than you have.
- Someone you are competing with is more successful than you in an area important to you.
- Other: _____

Interpretations of Events That Prompt Feelings of Envy

- Thinking you deserve what others have.
- Thinking others have more than you.
- Thinking about how unfair it is that you have such a bad lot in life compared to others.
- Thinking you have been treated unfairly by life.
- Thinking you are unlucky.
- Thinking you are inferior, a failure, or mediocre in comparison to others whom you want to be like.
- Comparing yourself to others who have more than you.
- Comparing yourself to people who have characteristics that you wish you had.
- Thinking you are unappreciated.
- Other: _____

Biological Changes and Experiences of Envy

- Muscles tightening.
- Teeth clamping together, mouth tightening.
- Feeling your face flush or get hot.
- Feeling rigidity in your body.
- Pain in the pit of the stomach.
- Having an urge to get even.
- Hating the other person.
- Wanting to hurt the people you envy.
- Wanting the person or people you envy to lose what they have, to have bad luck, or to be hurt.
- Feeling pleasure when others experience failure or lose what they have.
- Feeling unhappy if another person experiences some good luck.
- Feeling motivated to improve yourself.
- Other: _____

Expressions and Actions of Envy

- Doing everything you can to get what the other person has.
- Working a lot harder than you were to get what you want.
- Trying to improve yourself and your situation.
- Taking away or ruining what the other person has.
- Attacking or criticizing the other person.
- Doing something to get even.
- Doing something to make the other person fail or lose what he or she has.
- Saying mean things about the other person or making the person look bad to others.
- Trying to show the other person up, to look better than the other person.
- Avoiding persons who have what you want.
- Other: _____

Aftereffects of Envy

- Narrowing of attention.
- Attending only to what others have that you don't.
- Ruminating when others have had more than you.
- Discounting what you do have; not appreciating things you have or things others do for you.
- Ruminating about what you don't have.
- Making resolutions to change.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 4 of 10)

FEAR WORDS

fear	dread	horror	nervousness	shock	uneasiness
anxiety	edginess	hysteria	overwhelmed	tenseness	worry
apprehension	fright	jumpy	panic	terror	

Prompting Events for Feeling Fear

- Having your life, your health, or your well-being threatened.
- Being in the same situation (or a similar one) where you have been threatened or gotten hurt in the past, or where painful things have happened.
- Flashbacks.
- Being in situations where you have seen others threatened or be hurt.
- Silence.
- Being in a new or unfamiliar situation.
- Being alone (e.g., walking alone, being home alone, living alone).
- Being in the dark.
- Being in crowds.
- Leaving your home.
- Having to perform in front of others.
- Pursuing your dreams.
- Other: _____

Interpretations of Events That Prompt Feelings of Fear

- Believing that:
 - You might die, or you are going to die.
 - You might be hurt or harmed.
 - You might lose something valuable.
 - Someone might reject, criticize, or dislike you.
 - You will embarrass yourself.
 - Failure is possible; expecting to fail.
- Believing that:
 - You will not get help you want or need.
 - You might lose help you already have.
 - You might lose someone important.
 - You might lose something you want.
 - You are helpless or are losing a sense of control.
 - You are incompetent or are losing mastery.
- Other: _____

Biological Changes and Experiences of Fear

- Breathlessness.
- Fast heartbeat.
- Choking sensation, lump in throat.
- Muscles tensing, cramping.
- Clenching teeth.
- Urge to scream or call out.
- Feeling nauseated.
- Getting cold; feeling clammy.
- Feeling your hairs standing on end.
- Feeling of "butterflies" in stomach.
- Wanting to run away or avoid things.
- Other: _____

Expressions and Actions of Fear

- Fleeing, running away.
- Running or walking hurriedly.
- Hiding from or avoiding what you fear.
- Engaging in nervous, fearful talk.
- Pleading or crying for help.
- Talking less or becoming speechless.
- Screaming or yelling.
- Darting eyes or quickly looking around.
- Frozen stare.
- Talking yourself out of doing what you fear.
- Freezing, or trying not to move.
- Crying or whimpering.
- Shaking, quivering, or trembling.
- A shaky or trembling voice.
- Sweating or perspiring.
- Diarrhea, vomiting.
- Hair erect.
- Other: _____

Aftereffects of Fear

- Narrowing of attention.
- Being hypervigilant to threat.
- Losing your ability to focus or becoming disoriented or dazed.
- Losing control.
- Imagining the possibility of more loss or failure.
- Isolating yourself.
- Ruminating about other threatening times.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 5 of 10)

HAPPINESS WORDS

happiness	satisfaction	joviality	exhilaration	ecstasy
joy	bliss	triumph	optimism	gladness
enjoyment	enthusiasm	contentment	zest	pride
relief	jolliness	excitement	eagerness	elation
amusement	thrill	jubilation	gaiety	glee
enthrallment	cheerfulness	zany	pleasure	rapture
hope	euphoria	delight	zeal	

Prompting Events for Feeling Happiness

- Receiving a wonderful surprise.
- Reality exceeding your expectations.
- Getting what you want.
- Getting something you have worked hard for or worried about.
- Things turning out better than you thought they would.
- Being successful at a task.
- Achieving a desirable outcome.
- Receiving esteem, respect, or praise.
- Receiving love, liking, or affection.
- Being accepted by others.
- Belonging somewhere or with someone or a group.
- Being with or in contact with people who love or like you.
- Having very pleasurable sensations.
- Doing things that create or bring to mind pleasurable sensations.
- Other: _____

Interpretations of Events That Prompt Feelings of Happiness

- Interpreting joyful events just as they are, without adding or subtracting.
- Other: _____

Biological Changes and Experiences of Happiness

- Feeling excited.
- Feeling physically energetic, active.
- Feeling like giggling or laughing.
- Feeling your face flush.
- Feeling calm all the way through.
- Urge to keep doing what is associated with happiness.
- Feeling at peace.
- Feeling open or expansive.
- Other: _____

Expressions and Actions of Happiness

- Smiling.
- Having a bright, glowing face.
- Being bouncy or bubbly.
- Communicating your good feelings.
- Sharing the feeling.
- Silliness.
- Hugging people.
- Jumping up and down.
- Saying positive things.
- Using an enthusiastic or excited voice.
- Being talkative or talking a lot.
- Other: _____

Aftereffects of Happiness

- Being courteous or friendly to others.
- Doing nice things for other people.
- Having a positive outlook; seeing the bright side.
- Having a high threshold for worry or annoyance.
- Remembering and imagining other times you have felt joyful.
- Expecting to feel joyful in the future.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 6 of 10)

JEALOUSY WORDS

jealous	clutching	fear of losing someone/	rivalrous	wary
cautious	defensive	something	suspicious	watchful
clinging	mistrustful	possessive	self-protective	

Prompting Events for Feeling Jealous

- An important relationship is threatened or in danger of being lost.
- A potential competitor pays attention to someone you love.
- Someone:
 - Is threatening to take away important things in your life.
 - Goes out with the person you like.
 - Ignores you while talking to a friend of yours.
 - Is more attractive, outgoing, or self-confident than you.
- You are treated as unimportant by a person you want to be close to.
- Your partner tells you that he or she desires more time alone.
- Your partner appears to flirt with someone else.
- A person you are romantically involved with looks at someone else.
- You find the person you love is having an affair with someone else.
- Other: _____

Interpretations of Events That Prompt Feelings of Jealousy

- Believing that:
 - Your partner does not care for you any more.
 - You are nothing to your partner.
 - Your partner is going to leave you.
 - Your partner is behaving inappropriately.
 - You don't measure up to your peers.
 - I deserve more than what you are receiving.
- Believing that:
 - You were cheated.
 - No one cares about you.
 - Your rival is possessive and competitive.
 - Your rival is insecure.
 - Your rival is envious.
 - Other: _____

Biological Changes and Experiences of Jealousy

- Breathlessness.
- Fast heartbeat.
- Choking sensation, lump in throat.
- Muscles tensing.
- Teeth clenching.
- Becoming suspicious of others.
- Having injured pride.
- Feelings of rejection.
- Needing to be in control.
- Feeling helpless.
- Wanting to grasp or keep hold of what you have.
- Wanting to push away or eliminate your rival.

Expressions and Actions of Jealousy

- Violent behavior or threats of violence toward the person threatening to take something away.
- Attempting to control the freedom of the person you are afraid of losing.
- Verbal accusations of disloyalty or unfaithfulness.
- Spying on the person.
- Interrogating the person; demanding accounting of time or activities.
- Collecting evidence of wrongdoings.
- Clinging; enhanced dependency.
- Increased or excessive demonstrations of love.
- Other: _____

Aftereffects of Jealousy

- Narrowing of attention.
- Seeing the worst in others.
- Being mistrustful across the board.
- Being hypervigilant to threats to your relationships.
- Becoming isolated or withdrawn.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 7 of 10)

LOVE WORDS

love	attraction	enchantment	limerence	sympathy
adoration	caring	fondness	longing	tenderness
affection	charmed	infatuation	lust	warmth
arousal	compassion	kindness	passion	
	desire	liking	sentimentality	

Prompting Events for Feeling Love

- A person:
 - Offers or gives you something you want, need, or desire.
 - Does things you want or need.
 - Does things you particularly value or admire.
- Feeling physically attracted to someone.
- Being with someone you have fun with.
- You spend a lot of time with a person.
- You share a special experience with a person.
- You have exceptionally good communication with a person.
- Other: _____

Interpretations of Events That Prompt Feelings of Love

- Believing that a person loves, needs, or appreciates you.
- Thinking that a person is physically attractive.
- Judging a person's personality as wonderful, pleasing, or attractive.
- Believing that a person can be counted on, or will always be there for you.
- Other: _____

Biological Changes and Experiences of Love

- When you are with or thinking about someone:
 - Feeling excited and full of energy.
 - Fast heartbeat.
 - Feeling self-confident.
 - Feeling invulnerable.
 - Feeling happy, joyful, or exuberant.
 - Feeling warm, trusting, and secure.
 - Feeling relaxed and calm.
- Wanting the best for a person.
- Wanting to give things to a person.
- Wanting to see and spend time with a person.
- Wanting to spend your life with a person.
- Wanting physical closeness or sex.
- Wanting emotional closeness.

Expressions and Actions of Love

- Saying "I love you."
- Expressing positive feelings to a person.
- Eye contact, mutual gaze.
- Touching, petting, hugging, holding, cuddling.
- Sexual activity.
- Smiling.
- Sharing time and experiences with someone.
- Doing things that the other person wants or needs.
- Other: _____

Aftereffects of Love

- Only seeing a person's positive side.
- Feeling forgetful or distracted; daydreaming.
- Feeling openness and trust.
- Feeling "alive," capable.
- Remembering other people you have loved.
- Remembering other people who have loved you.
- Remembering other positive events.
- Believing in yourself; believing you are wonderful, capable, competent.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 8 of 10)

SADNESS WORDS

sadness	disappointment	pity	crushed	disconnected	depression
despair	homesickness	anguish	displeasure	suffering	glumness
grief	neglect	dismay	insecurity	dejection	melancholy
misery	alienation	hurt	sorrow	gloom	alone
agony	discontentment	rejection	defeat	loneliness	woe
			distraught	unhappiness	

Prompting Events for Feeling Sadness

- Losing something or someone irretrievably.
- The death of someone you love.
- Things not being what you expected or wanted.
- Things being worse than you expected.
- Being separated from someone you care for.
- Getting what you don't want.
- Not getting what you have worked for.
- Not getting what you believe you need in life.
- Being rejected, disapproved of, or excluded.
- Discovering that you are powerless or helpless.
- Being with someone else who is sad or in pain.
- Reading or hearing about other people's problems or troubles in the world.
- Being alone, or feeling isolated or like an outsider.
- Thinking about everything you have not gotten.
- Thinking about your losses.
- Thinking about missing someone.
- Other: _____

Interpretations of Events That Prompt Feelings of Sadness

- Believing that a separation from someone will last for a long time or will never end.
- Believing that you will not get what you want or need in your life.
- Seeing things or your life as hopeless.
- Believing that you are worthless or not valuable.
- Other: _____

Biological Changes and Experiences of Sadness

- Feeling tired, run down, or low in energy.
- Feeling lethargic, listless; wanting to stay in bed all day.
- Feeling as if nothing is pleasurable any more.
- Pain or hollowness in your chest or gut.
- Feeling empty.
- Feeling as if you can't stop crying, or if you ever start crying you will never be able to stop.
- Difficulty swallowing.
- Breathlessness.
- Dizziness.
- Other: _____

Expressions and Actions of Sadness

- Avoiding things.
- Acting helpless; staying in bed; being inactive.
- Moping, brooding, or acting moody.
- Making slow, shuffling movements.
- Withdrawing from social contact.
- Avoiding activities that used to bring pleasure.
- Giving up and no longer trying to improve.
- Saying sad things.
- Talking little or not at all.
- Using a quiet, slow, or monotonous voice.
- Eyes drooping.
- Frowning, not smiling.
- Posture slumping.
- Sobbing, crying, whimpering.
- Other: _____

Aftereffects of Sadness

- Not being able to remember happy things.
- Feeling irritable, touchy, or grouchy.
- Yearning and searching for the thing lost.
- Having a negative outlook.
- Blaming or criticizing yourself.
- Ruminating about sad events in the past.
- Insomnia.
- Appetite disturbance, indigestion.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 9 of 10)

SHAME WORDS

shame
contrition

culpability
discomposure

embarrassment
humiliation

mortification
self-conscious

shyness

Prompting Events for Feeling Shame

- Being rejected by people you care about.
- Having others find out that you have done something wrong.
- Doing (or feeling or thinking) something that people you admire believe is wrong or immoral.
- Comparing some aspect of yourself or your behavior to a standard and feeling as if you do not live up to that standard.
- Being betrayed by a person you love.
- Being laughed at/made fun of.
- Being criticized in public/in front of someone else; remembering public criticism.
- Others attacking your integrity.
- Being reminded of something wrong, immoral, or "shameful" you did in the past.
- Being rejected or criticized for something you expected praise for.
- Having emotions/experiences that have been invalidated.
- Exposure of a very private aspect of yourself or your life.
- Exposure of a physical characteristic you dislike.
- Failing at something you feel you are (or should be) competent to do.
- Other: _____

Interpretations of Events That Prompt Feelings of Shame

- Believing that others will reject you (or have rejected you).
- Judging yourself to be inferior, not "good enough," not as good as others; self-invalidation.
- Comparing yourself to others and thinking that you are a "loser."
- Believing yourself unlovable.
- Thinking that you are bad, immoral, or wrong.
- Thinking that you are defective.
- Thinking that you are a bad person or a failure.
- Believing your body (or a body part) is too big, too small, or ugly.
- Thinking that you have not lived up to others' expectations of you.
- Thinking that your behavior, thoughts, or feelings are silly or stupid.
- Other: _____

Biological Changes and Experiences of Shame

- Pain in the pit of the stomach.
- Sense of dread.
- Wanting to shrink down and/or disappear.
- Wanting to hide or cover your face and body.
- Other: _____

Expressions and Actions of Shame

- Hiding behavior or a characteristic from other people.
- Avoiding the person you have harmed.
- Avoiding persons who have criticized you.
- Avoiding yourself—distracting, ignoring.
- Withdrawing; covering the face.
- Bowing your head, groveling.
- Appeasing; saying you are sorry over and over and over.
- Looking down and away from others.
- Sinking back; slumped and rigid posture.
- Halting speech; lowered volume while talking.
- Other: _____

Aftereffects of Shame

- Avoiding thinking about your transgression; shutting down; blocking all emotions.
- Engaging in distracting, impulsive behaviors to divert your mind or attention.
- High amount of "self-focus"; preoccupation with yourself.
- Depersonalization, dissociative experiences, numbness, or shock.
- Attacking or blaming others.
- Conflicts with other people.
- Isolation, feeling alienated.
- Impairment in problem-solving ability.
- Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 6 (p. 10 of 10)

GUILT WORDS

guilt culpability remorse apologetic regret sorry

Prompting Events for Feeling Guilt

- Doing or thinking something you believe is wrong.
- Doing or thinking something that violates your personal values.
- Not doing something you said that you would do.
- Committing a transgression against another person or something you value.
- Causing harm/damage to another person or object.
- Causing harm/damage to yourself.
- Being reminded of something wrong you did in the past.
- Other: _____

Interpretations of Events That Prompt Feelings of Guilt

- Thinking that your actions are to blame for something.
- Thinking that you behaved badly.
- Thinking, "If only I had done something differently . . ."
- Other: _____

Biological Changes and Experiences of Guilt

- Hot, red face.
- Jitteriness, nervousness.
- Suffocating.
- Other: _____

Expressions and Actions of Guilt

- Trying to repair the harm, make amends for the wrongdoing, fix the damage, change the outcome.
- Asking for forgiveness, apologizing, confessing.
- Giving gifts/making sacrifices to try to make up for the transgression.
- Bowing your head; kneeling before the person.

Aftereffects of Guilt

- Making resolutions to change.
- Making changes in behavior.
- Joining self-help programs.
- Other: _____

Other Important Emotion Words

- Weariness, dissatisfaction, disinclination.
- Distress.
- Shyness, fragility, reserve, bashfulness, coyness, reticence.
- Cautiousness, reluctance, suspiciousness, caginess, wariness.
- Surprise, amazement, astonishment, awe, startle, wonder.
- Boldness, bravery, courage, determination.
- Powerfulness, a sense of competence, capability, mastery.
- Dubiousness, skepticism, doubtfulness.
- Apathy, boredom, dullness, ennui, fidgetiness, impatience, indifference, listlessness.

Overview:
Changing Emotional Responses

CHECK THE FACTS

Check out whether your emotional reactions **fit the facts** of the situation.

Changing your beliefs and assumptions to fit the facts can help you change your emotional reactions to situations.

OPPOSITE ACTION

When your emotions do not fit the facts,
or when acting on your emotions is not effective,
acting opposite (all the way)
will change your emotional reactions.

PROBLEM SOLVING

When the facts themselves are the problem,
solving the problem
will reduce the frequency of negative emotions.



Check the Facts

FACTS

Many emotions and actions are set off by our thoughts and interpretations of events, not by the events themselves.

Event → Thoughts → Emotions

Our emotions can also have a big effect on our thoughts about events.

Event → Emotion → Thoughts

Examining our thoughts and *checking the facts* can help us change our emotions.

HOW TO CHECK THE FACTS

- 1. Ask: What is the emotion I want to change?**
(See *Emotion Regulation Handout 6: Ways of Describing Emotions.*)
- 2. Ask: What is the event prompting my emotion?**
Describe the facts that you observed through your senses.
Challenge judgments, absolutes, and black-and-white descriptions.
(See *Mindfulness Handout 4: Taking Hold of Your Mind: "What" Skills.*)
- 3. Ask: What are my interpretations, thoughts, and assumptions about the event?**
Think of other possible interpretations.
Practice looking at all sides of a situation and all points of view.
Test your interpretations and assumptions to see if they fit the facts.
- 4. Ask: Am I assuming a threat?**
Label the threat.
Assess the probability that the threatening event will really occur.
Think of as many other possible outcomes as you can.
- 5. Ask: What's the catastrophe?**
Imagine the catastrophe really occurring.
Imagine coping well with a catastrophe (through problem solving, coping ahead, or radical acceptance).
- 6. Ask: Does my emotion and/or its intensity fit the actual facts?**
Check out facts that fit each emotion.
Ask Wise Mind.
(See *Emotion Regulation Handout 11: Figuring Out Opposite Actions*, and *Emotion Regulation Handout 13: Reviewing Problem Solving and Opposite Action.*)

EMOTION REGULATION HANDOUT 8A (Emotion Regulation Worksheet 5)

Examples of Emotions That Fit the Facts

Fear	<ol style="list-style-type: none">1. There is a threat to your life or that of someone you care about.2. There is a threat to your health or that of someone you care about.3. There is a threat to your well-being or that of someone you care about.4. Other: _____
Anger	<ol style="list-style-type: none">1. An important goal is blocked or a desired activity is interrupted or prevented.2. You or someone you care about is attacked or hurt by others.3. You or someone you care about is insulted or threatened by others.4. The integrity or status of your social group is offended or threatened.5. Other: _____
Disgust	<ol style="list-style-type: none">1. Something you are in contact with could poison or contaminate you.2. Somebody whom you deeply dislike is touching you or someone you care about.3. You are around a person or group whose behavior or thinking could seriously damage or harmfully influence you or the group you are part of.4. Other: _____
Envy	<ol style="list-style-type: none">1. Another person or group gets or has things you don't have that you want or need.2. Other: _____
Jealousy	<ol style="list-style-type: none">1. A very important and desired relationship or object in your life is in danger of being damaged or lost.2. Someone is threatening to take a valued relationship or object away from you.3. Other: _____
Love	<ol style="list-style-type: none">1. Loving a person, animal, or object enhances quality of life for you or for those you care about.2. Loving a person, animal, or object increases your chances of attaining your own personal goals.3. Other: _____
Sadness	<ol style="list-style-type: none">1. You have lost something or someone permanently.2. Things are not the way you wanted or expected and hoped them to be.3. Other: _____
Shame	<ol style="list-style-type: none">1. You will be rejected by a person or group you care about if characteristics of yourself or of your behavior are made public.2. Other: _____
Guilt	<ol style="list-style-type: none">1. Your own behavior violates your own values or moral code.2. Other: _____

Intensity and duration of an emotion are justified by:

1. How likely it is that the expected outcomes will occur.
2. How great and/or important the outcomes are.
3. How effective the emotion is in your life now.



Opposite Action

Use opposite action when your emotions do NOT fit the facts
or when acting on your emotions is NOT effective.

EVERY EMOTION HAS AN ACTION URGE.

CHANGE THE EMOTION BY ACTING OPPOSITE TO ITS ACTION URGE.

Consider these examples:

<u>EMOTION</u>	<u>ACTION URGE</u>	<u>OPPOSITE ACTION</u>
Fear	Run away/avoid	Approach/don't avoid
Anger	Attack	Gently avoid/be a little nice
Sadness	Withdraw/isolate	Get active
Shame	Hide/avoid	Tell the secret to people who will accept it

HOW TO DO OPPOSITE ACTION, STEP BY STEP

- Step 1. IDENTIFY AND NAME THE EMOTION** you want to change.
- Step 2. CHECK THE FACTS** to see if your emotion is justified by the facts.
Check also whether the intensity and duration of the emotion fit the facts.
(*Example: "Iritation" fits the facts when your car is cut in front of; "road rage" does not.*)
An emotion is justified when your emotion fits the facts.
- Step 3. IDENTIFY AND DESCRIBE YOUR ACTION URGES.**
- Step 4. ASK WISE MIND:** Is expression or acting on this emotion effective in this situation?
If your emotion does not fit the facts or if acting on your emotion is not effective:
- Step 5. IDENTIFY OPPOSITE ACTIONS** to your action urges.
- Step 6. ACT OPPOSITE ALL THE WAY** to your action urges.
- Step 7. REPEAT ACTING OPPOSITE** to your action urges until your emotion changes.



Figuring Out Opposite Actions

FEAR

Fear **FITS THE FACTS** of a situation whenever there is a **THREAT** to:

- A. Your life or that of someone you care about.
- B. Your health or that of someone you care about.
- C. Your well-being or that of someone you care about.
- D. Other example: _____

Follow these suggestions when your fear is **NOT JUSTIFIED** by the facts or **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Fear

Do the **OPPOSITE** of your fearful action urges. For example:

- 1. Do what you are afraid of doing . . . **OVER AND OVER**.
- 2. **APPROACH** events, places, tasks, activities, and people you are afraid of.
- 3. Do things to give yourself a sense of **CONTROL** and **MASTERY** over your fears.

ALL-THE-WAY OPPOSITE ACTIONS for Fear

- 4. Keep your **EYES AND EARS OPEN** and focused on the feared event.
Look around slowly; explore.
- 5. Take in the information from the situation (i.e., notice that you are safe).
- 6. Change **POSTURE AND KEEP A CONFIDENT VOICE TONE**.
Keep your head and eyes up, and your shoulders back but relaxed.
Adopt an assertive body posture (e.g., knees apart, hands on hips, heels a bit out).
- 7. Change your **BODY CHEMISTRY**.
For example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page)

From *DBT Skills Training Handouts and Worksheets, Second Edition* by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of this book for personal use only (see copyright page for details).

ANGER

Anger **FITS THE FACTS** of a situation whenever:

- A.** An important goal is blocked or a desired activity is interrupted or prevented.
- B.** You or someone you care about is attacked or hurt by others.
- C.** You or someone you care about is insulted or threatened by others.
- D.** The integrity or status of your social group is offended or threatened.
- E.** Other example: _____

Follow these suggestions when your anger is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Anger

Do the **OPPOSITE** of your angry action urges. For example:

- 1.** GENTLY AVOID the person you are angry with (rather than attacking).
- 2.** TAKE A TIME OUT, and breathe in and out deeply and slowly.
- 3.** BE KIND (rather than mean or insulting).

ALL-THE-WAY OPPOSITE ACTIONS for Anger

- 4.** IMAGINE UNDERSTANDING and empathy for the other person.

Step into the other person's shoes. Try to see the situation from the other person's point of view.

Imagine really good reasons for what has happened.

- 5.** CHANGE YOUR POSTURE.

Unclench hands, with palms up and fingers relaxed (**WILLING HANDS**).

Relax chest and stomach muscles.

Unclench teeth.

Relax facial muscles. Half-smile.

- 6.** CHANGE YOUR BODY CHEMISTRY.

For example, do paced breathing by breathing in deeply and breathing out slowly.

Or, run or engage in another physically energetic, nonviolent activity.

(continued on next page)

DISGUST

Disgust **FITS THE FACTS** of a situation whenever:

- A.** Something you are in contact with could poison or contaminate you.
- B.** Somebody whom you deeply dislike is touching you or someone you care about.
- C.** You are around a person or group whose behavior or thinking could seriously damage or harmfully influence you or the group you are part of.
- D.** Other example: _____

Follow these suggestions when your disgust is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Disgust

Do the **OPPOSITE** of your disgusted action urges. For example:

- 1. **MOVE CLOSE.** Eat, drink, stand near, or embrace what you found disgusting.
- 2. Be **KIND** to those you feel contempt for; step into the other person's shoes.

ALL-THE-WAY OPPOSITE ACTIONS for Disgust

- 3. **IMAGINE UNDERSTANDING** and empathy for the person you feel disgust or contempt for.

Try to see the situation from the other person's point of view.

Imagine really good reasons for how the other person is behaving or looking.

- 4. **TAKE IN** what feels repulsive.

Be sensual (inhaling, looking at, touching, listening, tasting).

- 5. **CHANGE YOUR POSTURE.**

Unclench hands with palms up and fingers relaxed (willing hands).

Relax chest and stomach muscles.

Unclench teeth.

Relax facial muscles.

Half-smile.

- 6. **CHANGE YOUR BODY CHEMISTRY.**

For example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page)

ENVY

Envy **FITS THE FACTS** of a situation whenever:

- A.** Another person or group has what you want or need but don't have.
- B.** Other example: _____

Follow these suggestions when your envy is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Envy

Do the **OPPOSITE** of your envious action urges. For example:

1. **INHIBIT DESTROYING** what the other person has.
2. **COUNT YOUR BLESSINGS.** Make a list of the things you are thankful for.

ALL-THE-WAY OPPOSITE ACTIONS for Envy

3. **COUNT ALL** your blessings.
 - Avoid discounting some blessings.
 - Avoid exaggerating your deprivations.
4. Stop **EXAGGERATING** others' net worth or value; check the facts.
5. **CHANGE YOUR POSTURE.**
 - Unclench hands with palms up and fingers relaxed (**WILLING HANDS**).
 - Relax chest and stomach muscles.
 - Unclench teeth.
 - Relax facial muscles.
 - Half-smile.
6. **CHANGE YOUR BODY CHEMISTRY.**
 - For example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page)

JEALOUSY

Jealousy **FITS THE FACTS** of a situation whenever:

- A.** Someone is threatening to take a very important and desired relationship or object away from you.
- B.** An important and desired relationship is in danger of being damaged or lost.
- C.** Other example: _____

Follow these suggestions when your jealousy is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Jealousy

Do the **OPPOSITE** of your jealous action urges. For example:

- 1. **LET GO** of controlling others' actions.
- 2. **SHARE** the things and people you have in your life.

ALL-THE-WAY OPPOSITE ACTIONS for Jealousy

- 3. **STOP SPYING** or snooping.

Suppress probing questions ("Where were you? Who were you with?").
Fire your "private detective."

- 4. **NO AVOIDING.** Listen to all the details. Focus on sensations.

Keep your eyes open; look around.
Take in all the information about the situation.

- 5. **CHANGE YOUR POSTURE.**

Unclench hands with palms up and fingers relaxed (**WILLING HANDS**).
Relax chest and stomach muscles.
Unclench teeth.
Relax facial muscles.
Half-smile.

- 6. **CHANGE YOUR BODY CHEMISTRY.**

For example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page)

LOVE

Love (other than universal love for all) **FITS THE FACTS** of a situation whenever:

- A.** Loving a person, animal, or object enhances quality of life for you or for those you care about.
- B.** Loving a person, animal, or object increases your chances of attaining your own personal goals.
- C.** Other example: _____

Follow these suggestions when your love is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Love

Do the **OPPOSITE** of your loving action urges. For example:

- 1. **AVOID** the person, animal, or object you love.
- 2. **DISTRACT** yourself from thoughts of the person, animal, or object.
- 3. **REMINDE** yourself of why love is not justified (rehearse the "cons" of loving) when loving thoughts do arise.

ALL-THE-WAY OPPOSITE ACTIONS for Love

- 4. **AVOID CONTACT** with everything that reminds you of a person you love: pictures, letters/ messages/e-mails, belongings, mementos, places you were together, places you planned to or wanted to go together, places where you know the person has been or will be. No following, waiting for, or looking for the person.
- 5. **STOP EXPRESSING LOVE** for the person, even to friends. Be unfriendly toward the person (e.g., "unfriend" the person on Facebook, Twitter, etc.).
- 6. **ADJUST YOUR POSTURE AND EXPRESSIONS** if you are around the person you love.
 - No leaning toward him or her.
 - No getting close enough to touch.
 - No sighing/gazing at the person.

(continued on next page)

SADNESS

Sadness **FITS THE FACTS** of a situation whenever:

- A. You have lost something or someone permanently.
- B. Things are not the way you want or expected and hoped them to be.
- C. Other example: _____

Follow these suggestions when sadness is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Sadness

Do the **OPPOSITE** of your sad action (or inaction) urges. For example:

- 1. Get **ACTIVE**; approach.
- 2. **AVOID AVOIDING**.
- 3. **BUILD MASTERY**: Do things that make you feel competent and self-confident.
(See *Emotion Regulation Handout 19: Build Mastery and Cope Ahead.*)
- 4. Increase **PLEASANT EVENTS**.

ALL-THE-WAY OPPOSITE ACTIONS for Sadness

- 5. Pay attention to the **PRESENT MOMENT!**
Be mindful of your environment—each detail as it unfolds.
Experience new or positive activities you are engaging in.
- 6. **CHANGE YOUR POSTURE** (adopt a “bright” body posture, with head up, eyes open, and shoulders back).
Keep an upbeat voice tone.
- 7. **CHANGE YOUR BODY CHEMISTRY**.
For example, increase physical movement (run, jog, walk, or do other active exercise).

(continued on next page)

SHAME

Shame **FITS THE FACTS** of a situation whenever:

- A. You will be rejected by a person or group you care about if your personal characteristics or behavior are made public.
- B. Other example: _____

Follow these suggestions when *both* shame and guilt are **NOT JUSTIFIED** by the facts or are **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Shame

Do the **OPPOSITE** of your action urges. For example:

- 1. **MAKE PUBLIC** your personal characteristics or your behavior (with people who won't reject you).
- 2. **REPEAT** the behavior that sets off shame over and over (without hiding the behavior from those who won't reject you).

ALL-THE-WAY OPPOSITE ACTIONS for Shame

- 3. **NO APOLOGIZING** or trying to make up for a perceived transgression.
- 4. **TAKE IN** all the information from the situation.
- 5. **CHANGE YOUR BODY POSTURE**. Look innocent and proud. Lift your head; "puff up" your chest; maintain eye contact. Keep your voice tone steady and clear.

Follow these suggestions when shame is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**, but **GUILT IS JUSTIFIED** (your behavior does violate your own moral values):

OPPOSITE ACTIONS for Shame

Do the **OPPOSITE** of your action urges. For example:

- 1. **MAKE PUBLIC** your behavior (with people who won't reject you).
- 2. **APOLOGIZE** for your behavior.
- 3. **REPAIR** the transgressions, or work to prevent or repair similar harm for others.
- 4. **COMMIT** to avoiding that mistake in the future.
- 5. **ACCEPT** the consequences gracefully.

ALL-THE-WAY OPPOSITE ACTIONS for Shame

- 6. **FORGIVE** yourself. Acknowledge the causes of your behavior.
- 7. **LET IT GO**.

(continued on next page)

GUILT

Guilt **FITS THE FACTS** of a situation whenever:

- A. Your behavior violates your own values or moral code.
- B. Other example: _____

Follow these suggestions when *both* guilt and shame
are **NOT JUSTIFIED** by the facts or are **NOT EFFECTIVE**:

OPPOSITE ACTIONS for Guilt

Do the **OPPOSITE** of your action urges. For example:

- 1. **MAKE PUBLIC** your personal characteristics or your behavior (with people who won't reject you).
- 2. **REPEAT** the behavior that sets off guilt over and over (without hiding the behavior from those who won't reject you).

ALL-THE-WAY OPPOSITE ACTIONS for Guilt

- 3. **NO APOLOGIZING** or trying to make up for a perceived transgression.
- 4. **TAKE IN** all the information from the situation.
- 5. **CHANGE YOUR BODY POSTURE**. Look innocent and proud. Lift your head; "puff up" your chest; maintain eye contact. Keep your voice tone steady and clear.

Follow these suggestions when guilt is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**
but **SHAME IS JUSTIFIED** (you will be rejected by people you care about if found out):

OPPOSITE ACTIONS for Guilt

- 1. **HIDE** your behavior (if you want to stay in the group).
- 2. **USE INTERPERSONAL SKILLS** (if you want to stay in the group).
- 3. **WORK TO CHANGE** the person's or group's values.
- 4. **JOIN A NEW GROUP** that fits your values (and will not reject you).
- 5. **REPEAT** the behavior that sets off guilt over and over with your new group.

ALL-THE-WAY OPPOSITE ACTIONS for Guilt

- 6. **VALIDATE YOURSELF**.



Problem Solving

Step 1. FIGURE OUT and DESCRIBE the problem situation.

Step 2. CHECK THE FACTS (*all the facts*) to be sure you have the right problem situation!

*If your facts are correct and
the situation is the problem,
continue with STEP 3.*

*If your facts are not correct,
go back and repeat STEP 1.*

Step 3. IDENTIFY YOUR GOAL in solving the problem.

- Identify what needs to happen or change for you to feel OK.
- Keep it simple, and choose something that can actually happen.

Step 4. BRAINSTORM lots of solutions.

- Think of as many solutions as you can. Ask for suggestions from people you trust.
- Do not be critical of any ideas at first. (Wait for Step 5 to evaluate ideas.)

Step 5. CHOOSE a solution that fits the goal and is likely to work.

- If you are unsure, choose two solutions that look good.
- Do PROS and CONS to compare the solutions.
- Choose the best to try first.

Step 6. Put the solution into ACTION.

- ACT! Try out the solution.
- Take the first step, and then the second . . .

Step 7. EVALUATE the results of using the solution.

It worked? YEA!!! It didn't work? Go back to STEP 5 and choose a new solution to try.



Reviewing Opposite Action and Problem Solving

	Justifying Events	Act Opposite to Emotion Urge (for Unjustified Emotion)	Act on Emotion Urge, Problem-Solve, or Avoid (for Justified Emotion)
Fear	A. Your life is in danger. B. Your health is in danger. C. Your well-being is in danger.	1. Do what you are afraid of doing . . . over and over. 2. Approach what you are afraid of. 3. Do what gives you a sense of control and mastery.	1. Freeze/run if danger is near. 2. Remove the threatening event. 3. Do what gives you a sense of control and mastery of the fearful event. 4. Avoid the threatening event.
Anger	A. An important goal is blocked or a desired activity is interrupted or prevented. B. You or someone you care about is attacked or hurt (physically or emotionally) by others. C. You or someone you care about is insulted, offended, or threatened by others.	1. Gently avoid. 2. Take a time out. 3. Do something kind. 4. Imagine understanding: Step into the other person's shoes. 5. Imagine really good reasons for what happened.	1. Fight back when being attacked, if you have nothing to lose by fighting. 2. Overcome obstacles to goals. 3. Work to stop further attacks, insults, and threats. 4. Avoid or walk out on people who are threatening.
Disgust	A. Something you are in contact with could poison or contaminate you. B. You are close to a person or group whose actions or thinking could seriously damage or harm you or the group you are part of.	1. Move close. Embrace. 2. Be kind; step into the other person's shoes. 3. Take in what feels repulsive. 4. See the situation from the other person's point of view.	1. Remove/clean up revolting things. 2. Influence others to stop harmful actions/stop things that contaminate your community. 3. Avoid or push away harmful people or things. 4. Imagine understanding a person who has done disgusting things.

(continued on next page)

EMOTION REGULATION HANDOUT 13 (p. 2 of 3)

	Justifying Events	Act Opposite to Emotion Urge (for Unjustified Emotion)	Act on Emotion Urge, Problem-Solve, or Avoid (for Justified Emotion)
Envy	A. Another person or group gets or has things you don't have that you want or need.	1. Inhibit destroying other people's things. 2. Count your blessings. 3. Imagine how it all makes sense. 4. Stop exaggerating others' worth or value.	1. Improve yourself and your life. 2. Get others to be fair. 3. Devalue what others have that you don't have. 4. Put on rose-colored glasses. 5. Avoid people who have more than you.
Jealousy	A. An important and desired relationship or object is in danger of being damaged or lost. B. Someone is threatening to take away an important and desired relationship or object.	1. Let go of trying to control others. 2. Share what you have with others. 3. Stop spying and snooping. 4. No avoiding; take in all the information.	1. Protect what you have. 2. Work at being more desirable to the person(s) you want to be in a relationship with (i.e., fight for relationships). 3. Leave the relationship.
Love	A. Loving a valued/ admired person, animal, or object enhances the quality of life for you or those you care about. B. Loving the person, animal, or object increases your chances of attaining your own personal goals.	1. Avoid the person, animal, or object you love altogether. 2. Distract yourself from thoughts of the beloved. 3. Avoid contact with all reminders of the beloved. 4. Remind yourself of why love is not justified.	1. Be with the person, animal, or thing that you love. 2. Touch, hold, etc., the beloved. 3. Avoid separations when possible. 4. If the beloved is lost, fight to find or get the beloved back (if it may be possible).
Sadness	A. You have lost something or someone permanently. B. Things are not the way you expected or wanted or hoped for.	1. Activate your behavior. 2. Avoid avoiding. 3. Build mastery: Do things that make you feel competent and self-confident. 4. Increase pleasant events. 5. Pay attention to pleasant events.	1. Grieve; have a memorial service; visit the cemetery (but don't build a house at the cemetery). 2. Retrieve/replace what is lost. 3. Plan how to rebuild a life worth living without the beloved or expected outcomes in your life. 4. Accumulate positives. 5. Build mastery: Do things that make you feel competent and self-confident. 6. Communicate need for help. 7. Accept help offered. 8. Put on rose-colored glasses.

(continued on next page)

EMOTION REGULATION HANDOUT 13 (p. 3 of 3)

	Justifying Events	Act Opposite to Emotion Urge (for Unjustified Emotion)	Act on Emotion Urge, Problem-Solve, or Avoid (for Justified Emotion)
Shame	A. You will be rejected by a very important person or group if characteristics of yourself or of your behavior are made public.	<ol style="list-style-type: none"> 1. Make public your personal characteristics or behavior (with people who won't reject you). 2. Repeat the behavior without hiding from people who won't reject you. 3. Or, if <i>your</i> moral code is violated, apologize and repair; forgive yourself; and let it go. 	<ol style="list-style-type: none"> 1. Hide what will get you rejected. 2. Appease those offended. 3. Change your behavior or personal characteristics to fit in. 4. Avoid groups who disapprove of you. 5. Find a new group that fits your values or that likes your personal characteristics. 6. Work to change society's or a person's values.
Guilt	A. Your own behavior violates your own values or moral code.	<ol style="list-style-type: none"> 1. Do what makes you feel guilty over and over and over. 2. Make public your behavior (with people who won't reject you). <p>Or, if <i>you will be rejected by others</i>:</p> <ol style="list-style-type: none"> 3. Hide your behavior. 4. Use interpersonal skills. 5. Work to change your group's values or join a new group. 	<ol style="list-style-type: none"> 1. Seek forgiveness. 2. Repair the harm; make things better (or, if not possible, work to prevent or repair similar harm for others). 3. Accept the consequences gracefully. 4. Commit to avoiding behaviors that violate your moral values in the future.



Accumulating Positive Emotions: Short Term

Accumulate positive emotions in the short term by doing these things.

BUILD POSITIVE EXPERIENCES NOW

- INCREASE PLEASANT EVENTS that lead to positive emotions.
- Do ONE THING each day from the Pleasant Events List.
(See *Emotion Regulation Handout 16*.)
- Practice opposite action; AVOID AVOIDING.
- BE MINDFUL of pleasant events (no multitasking).

BE MINDFUL OF POSITIVE EXPERIENCES

- FOCUS your attention on positive moments when they are happening.
No multitasking.
- REFOCUS your attention when your mind wanders to the negative.
- PARTICIPATE and ENGAGE fully in each experience.

BE UNMINDFUL OF WORRIES

Such as . . .

- When the positive experience will end.
- Whether you deserve this positive experience.
- How much more might be expected of you now.



Accumulating Positive Emotions: Long Term

Accumulate positive emotions in the long term
to build a “life worth living.”

That is, make changes in your life so that positive events will occur in the future.

Step 1. Avoid avoiding.

Start now to do what is needed to build the life you want. If you are not sure about what to do, follow the steps below.

Step 2. Identify values that are important to you.

ASK: What values are really important to me in my life?

Examples: Be productive; be part of a group; treat others well; be physically fit.

Step 3. Identify one value to work on now.

ASK: What is really important to me, right now, to work on in my life?

Example: Be productive.

Step 4. Identify a few goals related to this value.

ASK: What specific goals can I work on that will make this value part of my life?

Examples: Get a job where I can do something useful.

Be more active keeping up with important tasks at home.

Find a volunteer job that will use skills I already have.

Step 5. Choose one goal to work on now.

Do pros and cons, if necessary, to select a goal to work on now.

Example: Get a job where I can do something useful.

Step 6. Identify small action steps toward your goal.

ASK: What small steps can I take to get to my goal?

Examples: Visit places and look for job openings on the Internet in my area.

Submit applications for jobs at places I want to work.

Write résumé.

Check out benefits at places I might want to work.

Step 7. Take one action step now.

Example: Go on Internet and check for jobs in my area.



Values and Priorities List

In my own Wise Mind, I believe it is important to:

☐ **A. Attend to relationships.**

1. ☐ Repair old relationships.
2. ☐ Reach out for new relationships.
3. ☐ Work on current relationships.
4. ☐ End destructive relationships.
- ☐ Other: _____

☐ **B. Be part of a group.**

5. ☐ Have close and satisfying relationships with others.
6. ☐ Feel a sense of belonging.
7. ☐ Receive affection and love.
8. ☐ Be involved and intimate with others; have and keep close friends.
9. ☐ Have a family; stay close to and spend time with family members.
10. ☐ Have people to do things with.
- ☐ Other: _____

☐ **C. Be powerful and able to influence others.**

11. ☐ Have the authority to approve or disapprove of what people do, or to control how resources are used.
12. ☐ Be a leader.
13. ☐ Make a great deal of money.
14. ☐ Be respected by others.
15. ☐ Be seen by others as successful; become well known; obtain recognition and status.
16. ☐ Compete successfully with others.
17. ☐ Be popular and accepted.
- ☐ Other: _____

☐ **D. Achieve things in life.**

18. ☐ Achieve significant goals; be involved in undertakings I believe are significant.
19. ☐ Be productive.
20. ☐ Work toward goals; work hard.
21. ☐ Be ambitious.
- ☐ Other: _____

(continued on next page)

Adapted from Schwartz, S. H. (1992). Universals in the content and structure of values: Theory and empirical tests in 20 countries. In M. Zanna (Ed.), *Advances in experimental social psychology* (Vol. 25, pp. 1–65). New York: Academic Press. Copyright 1992 by Academic Press. Adapted by permission of Elsevier B.V.

From *DBT Skills Training Handouts and Worksheets, Second Edition* by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of this book for personal use only (see copyright page for details).

EMOTION REGULATION HANDOUT 18 (p. 2 of 3)

☐ E. **Live a life of pleasure and satisfaction.**

- 22. ☐ Have a good time.
- 23. ☐ Seek fun and things that give pleasure.
- 24. ☐ Have free time.
- 25. ☐ Enjoy the work I do.
- ☐ Other: _____

☐ F. **Keep life full of exciting events, relationships, and things.**

- 26. ☐ Try new and different things in life.
- 27. ☐ Be daring and seek adventures.
- 28. ☐ Have an exciting life.
- ☐ Other: _____

☐ G. **Behave respectfully.**

- 29. ☐ Be humble and modest; do not draw attention to myself.
- 30. ☐ Follow traditions and customs; behave properly.
- 31. ☐ Do what I am told and follow rules.
- 32. ☐ Treat others well.
- ☐ Other: _____

☐ H. **Be self-directed.**

- 33. ☐ Follow my own path in life.
- 34. ☐ Be innovative, think of new ideas, and be creative.
- 35. ☐ Make my own decisions and be free.
- 36. ☐ Be independent; take care of myself and those I am responsible for.
- 37. ☐ Have freedom of thought and action; be able to act in terms of my own priorities.
- ☐ Other: _____

☐ I. **Be a spiritual person.**

- 38. ☐ Make room in life for spirituality; live life according to spiritual principles.
- 39. ☐ Practice a religion or faith.
- 40. ☐ Grow in understanding of myself, my personal calling, and life's real purpose.
- 41. ☐ Discern and do the will of God (or a higher power) and find lasting meaning in life.
- ☐ Other: _____

☐ J. **Be secure.**

- 42. ☐ Live in secure and safe surroundings.
- 43. ☐ Be physically healthy and fit.
- 44. ☐ Have a steady income that meets my own and my family's basic needs.
- ☐ Other: _____

(continued on next page)

EMOTION REGULATION HANDOUT 18 (p. 3 of 3)

☐ **K. Recognize the universal good of all things.**

45. ☐ Be fair, treat people equally, and provide equal opportunities.

46. ☐ Understand different people; be open-minded.

47. ☐ Care for nature and the environment.

☐ Other: _____

☐ **L. Contribute to the larger community.**

48. ☐ Help people and those in need; care for others' well-being; improve society.

49. ☐ Be loyal to friends and devoted to close people; be committed to a group that shares my beliefs, values, and ethical principles.

50. ☐ Be committed to a cause or to a group that has a larger purpose beyond my own.

51. ☐ Make sacrifices for others.

☐ Other: _____

☐ **M. Work at self-development.**

52. ☐ Develop a personal philosophy of life.

53. ☐ Learn and do challenging things that help me grow and mature as a human being.

☐ Other: _____

☐ **N. Have integrity.**

54. ☐ Be honest, and acknowledge and stand up for my personal beliefs.

55. ☐ Be a responsible person; keep my word to others.

56. ☐ Be courageous in facing and living life.

57. ☐ Be a person who pays debts to others and repairs damage I have caused.

58. ☐ Be accepting of myself, others, and life as it is; live without resentment.

☐ Other: _____

☐ **O. Other:** _____



Taking Care of Your Mind by Taking Care of Your Body

Remember these as **PLEASE** skills.

**P
L**

1. Treat Physical Illness.

Take care of your body. See a doctor when necessary. Take prescribed medication.

E

2. Balance Eating.

Don't eat too much or too little. Eat regularly and mindfully throughout the day. Stay away from foods that make you feel overly emotional.

A

3. Avoid Mood-Altering Substances.

Stay off illicit drugs, and use alcohol in moderation (if at all).

S

4. Balance Sleep.

Try to get 7–9 hours of sleep a night, or at least the amount of sleep that helps you feel good. Keep to a consistent sleep schedule, especially if you are having difficulty sleeping.

E

5. Get Exercise.

Do some sort of exercise every day. Try to build up to 20 minutes of daily exercise.

Nightmare Protocol, Step by Step

When Nightmares Keep You from Sleeping

- 1. Practice relaxation, pleasant imagery, and coping skills first, to be sure you are ready to work on changing your nightmares.**

Do progressive relaxation, paced breathing, and/or Wise Mind exercises; listen to music or guided imagery; review the distress tolerance crisis survival skills.

- 2. Choose a recurring nightmare you would like to work on.**

This will be your target nightmare. Select a nightmare you can manage now. Put off trauma nightmares until you are ready to work with them—or, if you target a trauma nightmare, skip Step 3.

- 3. Write down your target nightmare.**

Include sensory descriptions (sights, smells, sounds, tastes, etc.). Also include any thoughts, feelings, and assumptions about yourself during the dream.

- 4. Choose a changed outcome for the nightmare.**

The change should occur **BEFORE** anything traumatic or bad happens to you or others in the nightmare. Essentially, you want to come up with a change that will prevent the bad outcome of the usual nightmare from occurring. Write an ending that will give you a sense of peace when you wake up.

Note: Changes in the nightmare can be very unusual and out of the ordinary (e.g., you might become a person with superhuman powers who is able to escape to safety or fight off attackers). Changed outcomes can include changed thoughts, feelings, or assumptions about yourself.

- 5. Write down the full nightmare with the changes.**

- 6. REHEARSE and RELAX each night before going to sleep.**

Rehearse the *changed* nightmare by visualizing the entire dream with the changes each night, *before* practicing relaxation techniques.

- 7. REHEARSE and RELAX during the day.**

Visualize the entire dream with the change, and practice relaxation as often as possible during the day.

Sleep Hygiene Protocol

When You Can't Sleep, What to Do Instead of Ruminating

TO INCREASE THE LIKELIHOOD OF RESTFULNESS/SLEEP:

1. **Develop and follow a consistent sleep schedule even on weekends.** Go to bed and get up at the same times each day, and avoid anything longer than a 10-minute nap during the day.
2. **Do not use your bed in the daytime** for things like watching TV, talking on the phone, or reading.
3. **Avoid** caffeine, nicotine, alcohol, heavy meals, and exercise late in the day before going to sleep.
4. **When prepared to sleep, turn off the light, and keep the room quiet and the temperature comfortable and relatively cool.** Try an electric blanket if you are cold; putting your feet outside of the blanket or turning on a fan directed toward your bed if you are hot; or wearing a sleeping mask, using earplugs, or turning on a "white noise" machine if needed.
5. **Give yourself half an hour to at most an hour to fall asleep.** If it doesn't work, evaluate whether you are calm, or anxious (even if only "background anxiety"), or ruminating.
6. **DO NOT CATASTROPHIZE.** Remind yourself that you need rest, and aim for reverie (i.e., dreaminess) and resting your brain. Sell yourself on the idea that staying awake is not a catastrophe. Do not decide to give up on sleeping for the night and get up for the "day."

IF YOU ARE CALM BUT WIDE AWAKE:

7. **Get out of bed; go to another room and read a book** or do some other activity that will not wake you up further. As you begin to get tired and/or sleepy, go back to bed.
8. **Try a light snack** (e.g., an apple).

IF YOU ARE ANXIOUS OR RUMINATING

9. **Use the cold water TIP skill. Get right back in bed and do the paced breathing TIP skill.**
(See *Distress Tolerance Handout 6: TIP Skills: Changing Your Body Chemistry*.)
Remember, if you have any medical condition, get medical approval before using cold water.
10. **Try the 9–0 meditation practice.** Breathe in deeply and breathe out slowly, saying in your mind the number 9. On the next breath out, say 8; then say 7; and so on until you breathe out saying 0. Then start over, but this time start with 8 (instead of 9) as you breathe out, followed by 7, and so on until you reach 0. Next start with 6 as you breathe out, and so on to 0. Then start with 5, then with 4, and so on until you have gone all the way down to starting with 1. (If you get lost, start over with the last number you remember.) Continue until you fall asleep.
11. **Focus on the bodily sensation** of the rumination (rumination is often escape from difficult emotional sensations).
12. **Reassure yourself** that worries in the middle of the night are just "middle-of-the-night-thinking," and that in the morning you will think and feel differently.
13. **Read an emotionally engrossing novel** for a few minutes until you feel somewhat tired. Then stop reading, close your eyes, and try to continue the novel in your head.
14. **If rumination doesn't stop,** follow these guidelines: "If it's solvable, solve it. If it is insolvable, go deep into the worry all the way to the "catastrophe"—the very worst outcome you can imagine—and then imagine coping ahead with the catastrophe."
(See *Emotion Regulation Handout 19: Build Mastery and Cope Ahead*.)

If nothing else works, with eyes closed, listen to public radio (BBC, NPR, etc.) at low volume (use headphones if necessary). Public radio is a good choice for this, because there is little fluctuation in voice tone or volume.

**Overview:
Managing Really Difficult Emotions**

MINDFULNESS OF CURRENT EMOTIONS

Suppressing emotion increases suffering.

Mindfulness of current emotions is the path to emotional freedom.

MANAGING EXTREME EMOTIONS

Sometimes emotional arousal is so high that you can't use any skills, particularly if the skills are complicated or take any thought on your part.

This is a skills breakdown point.

Crisis survival skills are needed.

TROUBLESHOOTING AND REVIEW

There are many ways to change emotions.

It can be helpful to have a list of the important skills to look at when you can't remember the skills you need to regulate your emotions.



Mindfulness of Current Emotions: Letting Go of Emotional Suffering

OBSERVE YOUR EMOTION

- Step back and just notice your emotion.
- Experience your emotion as a **WAVE**, coming and going.
- Now imagine surfing the emotion wave.
- Try not to **BLOCK** or **SUPPRESS** the emotion.
- Don't try to **GET RID** of or **PUSH** away the emotion.
- Don't try to **KEEP** the emotion around.
- Don't **HOLD ON** to it.
- Don't **AMPLIFY** it.

PRACTICE MINDFULNESS OF BODY SENSATIONS

- Notice **WHERE** in your body you are feeling emotional sensations.
- Experience the **SENSATIONS** as fully as you can.
- Observe how **LONG** it takes before the emotion goes down.

REMEMBER: YOU ARE NOT YOUR EMOTION

- Do not necessarily **ACT** on your emotion.
- Remember times when you have felt **DIFFERENT**.

PRACTICE LOVING YOUR EMOTION

- **RESPECT** your emotion.
- Do not **JUDGE** your emotion.
- Practice **WILLINGNESS**.
- Radically **ACCEPT** your emotion.